

01

PUMP

Booster Pump _____ p4-5

Industry Pump _____ p6



01

PUMP

Booster Pump

KJ-2500

MOTOR:24VDC
 INPUT:AC110V/60HZ;or 230V/50HZ
 OUTPUT:DC24V/1.2A
 PUMP,reflux non-adjustable
 OPEN FLOW: 1.6LPM
 CAPACITY: 50GPD
 PORTS:3/8" FPT inlet/outlet
 (1/4"JacoType Connector Available)



KJ-2000

MOTOR:32VDC
 INPUT:AC110V/60HZ;or 230V/50HZ
 OUTPUT:DC32V/2A
 PUMP,reflux adjustable
 CAPACITY: 250GPD
 PORTS: 3/8" FPT inlet/outlet
 (1/4"JacoType Connector Available)



KJ-2500Q

MOTOR:24VDC
 INPUT:AC110V/60HZ;or 230V/50HZ
 OUTPUT:DC24V/1.2A
 PUMP,reflux adjustable
 OPEN FLOW: 1.6LPM
 CAPACITY: 50GPD
 PORTS:3/8" FPT inlet/outlet
 (1/4"Jaco Type Connector Available)



KJ-9688B (DELIVER)

MOTOR:48VDC
 INPUT:AC110V/60HZ;or 230V/50HZ
 OUTPUT:DC48V/2.5A
 PUMP,reflux adjustable
 Head:~20M
 PORTS:3/8" FPT inlet/outlet
 (1/4"Jaco Type Connector Available)



KJ-5088

MOTOR:24VDC
 INPUT:AC110V/60HZ;or 230V/50HZ
 OUTPUT:DC24V/1.2A
 PUMP,reflux non-adjustable
 OPEN FLOW: 1.6LPM
 CAPACITY: 50GPD
 PORTS:3/8" FPT inlet/outlet
 (1/4"Quick Connector Available)



KJ-2600

MOTOR:29VDC
 INPUT:AC110V/60HZ;or 230V/50HZ
 OUTPUT:DC29V/1.2A
 PUMP,reflux adjustable
 OPEN FLOW: 1.8LPM
 CAPACITY:100GPD
 PORTS: 3/8" FPT inlet/outlet
 (1/4"Jaco Type Connector Available)



KJ-2800

MOTOR:24VDC
 INPUT:AC110V/60HZ;or 230V/50HZ
 OUTPUT:DC24V/1.2A
 PUMP,reflux non-adjustable
 OPEN FLOW: 1.6LPM
 CAPACITY: 50GPD
 PORTS: 3/8" FPT inlet/outlet
 (1/4"Quick Connector Available)



KJ-2600Q

MOTOR:29VDC
 INPUT:AC110V/60HZ;or 230V/50HZ
 OUTPUT:DC29V/1.2A
 PUMP,reflux adjustable
 OPEN FLOW: 1.8LPM
 PORTS:3/8" FPT inlet / outlet
 (1/4" Quick Type Connector Available)
 CAPACITY:100GPD



01 PUMP

Booster Pump

KJ-6688

MOTOR:48VDC
INPUT:AC110V/60HZ;or 230V/50HZ
OUTPUT:DC48V/2.5A
PUMP,reflux adjustable
CAPACITY: 500GPD
PORTS:3/8" FPT inlet/outlet



KJ-6688VM

MOTOR:48VDC
INPUT:AC110V/60HZ;or 230V/50HZ
OUTPUT:DC48V/2.5A
PUMP,reflux adjustable
CAPACITY: 500GPD
PORTS:3/8" FPT inlet/outlet
(Add Temperature Control)



KJ-6600

MOTOR:48VDC
INPUT:AC110V/60HZ;or 230V/50HZ
OUTPUT:DC48V/2.5A
PUMP,reflux adjustable
SPECIAL-PURPOSE TO MAKE FOG
PORTS:3/8" FPT inlet/outlet
(1/4" Jaco Type Connector Available)



KJ-9600

MOTOR:29VDC
INPUT:AC110V/60HZ;or 230V/50HZ
OUTPUT:DC29V/1.2A
PUMP,reflux non-adjustable
CAPACITY: 75GPD
PORTS: 3/8" FPT inlet/outlet
(1/4" Jaco Type Connector Available)



TP-9028

DC24V 1.2A/110V/220V



TP-9029

DC29V 1.2A/110V/220V



TP-2000

DC32V 2A/110V/220V



S-184-015-1

DC48V/2.5A 110V/220V



01

Industry Pump

TYP-2507

Procon high pressure pump
Capacity: 240GPH, 240PSI
(104K 240F 11BA)



TYP-1507

Procon high pressure pump
Capacity: 80GPH, 240PSI
(102K 080F 11BA)



ROTOFLOW PA1001

MODEL PA 1001
Capacity Flow: 997 L/Hr 14bar



ROTOFLOW PA401

Capacity Flow: 360 L/Hr 14bar



CRN-SERIES

Grundfos-Vertical multistage centrifugal pump



CM-SERIES

Grundfos-horizontal multipurpose stainless steel pumps



AYP-6000

Magnetic sealles pump
Capacity:62 LPM

